mn

Notice of Allowability	Application No.	Applicant(s)
	10/692,493	SUGA, YUJI
	Examiner	Art Unit
	Chuong D. Ngo	2193
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>applicant's response filed on 10/03/2007</u> .		
2. The allowed claim(s) is/are <u>1-17</u> .		
3. Acknowledgment is made of a claim for foreign priority una a)   All b) □ Some* c) □ None of the:  1. □ Certified copies of the priority documents have 2. □ Certified copies of the priority documents have 3. □ Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)).  * Certified copies not received: □ Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.  4. □ A SUBSTITUTE OATH OR DECLARATION must be submit NEODMAL DATENT APPLICATION (STO. 150).	e been received. e been received in Application No. cuments have been received in this of this communication to file a repl MENT of this application. itted. Note the attached EXAMINE	s national stage application from the y complying with the requirements R'S AMENDMENT or NOTICE OF
INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
<ul> <li>5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted. <ul> <li>(a) including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached</li> <li>1) hereto or 2) to Paper No./Mail Date</li> <li>(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date</li> <li>Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).</li> </ul> </li> <li>6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.</li> </ul>		
Attachment(s)		
1. Notice of References Cited (PTO-892)	5. Notice of Informal	Patent Application
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ⊠ Interview Summar Paper No./Mail D	ate
<ol> <li>Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date</li> </ol>	7. 🛛 Examiner's Amend	dment/Comment
<ol> <li>Examiner's Comment Regarding Requirement for Deposit of Biological Material</li> </ol>	8. ☐ Examiner's Statem 9. ☐ Other	nent of Reasons for Allowance
		/Chuong D Ngo/ Primary Examiner, AU 2193
	•	

Application/Control Number: 10/692,493

Art Unit: 2193

## **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with applicant's representative, Trevor Chuang, on 10/11/2007.

2. The application has been amended as follows:

In claim 1, line 1, after "for", inserted - - for encrypting or decrypting data by - -; and line 18, after "c", changed "as x<sup>e</sup>" to - - for encrypting or decrypting data - -.

In claim 2, line 1, after "for", inserted - -for encrypting or decrypting data by --; and line 18, after "c", changed "as x (modN)" to --for encrypting or decrypting data --.

In claim 14, line 16, after "c", changed "as x<sup>e</sup>" to - - for encrypting or decrypting data - -.

In claim 15, line 16, after "c", changed "as x<sup>e</sup>(modN)" to - - for encrypting or decrypting data - -.

In claim 16, line 2, after "for", inserted - - for encrypting or decrypting data by - -; and line 17, after "c", changed "as x<sup>e</sup>" to - - for encrypting or decrypting data - -.

In claim 17, line 2, after "for", inserted - -for encrypting or decrypting data by- -; and line 17, after "c", changed "as x<sup>e</sup>(modN)" to - -for encrypting or decrypting data- -.

Art Unit: 2193

3. The following is an examiner's statement of reasons for allowance:

The prior art of record does not teach or fairly suggest an exponent calculation apparatus having a combination of elements including a candidate exponents storing unit, a pre-calculation unit, a pre-calculated values storing unit and a dividing unit as recited in claims 1,2 and 14-17.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Chuong D. Ngo whose telephone number is (571) 272-3731. The examiner can normally be reached on Monday-Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Meng-Ai An can be reached on (571) 272-3756. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <a href="http://pair-direct.uspto.gov">http://pair-direct.uspto.gov</a>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Chuong D Ngo/ Primary Examiner Art Unit 2193

10/11/2007